ELSEVIER

Toxicology 205 (2004) 253

TOXICOLOGY

www.elsevier.com/locate/toxicol

Author index of volume 205

Alléra, A. **205**, 75
Ambrugger, P. **205**, 95
Apostoli, P. **205**, 65
Ariznavarreta, C. **205**, 131

Bergonzi, R. **205**, 65
Bhatt, M. **205**, 201
Biasiotto, G. **205**, 65
Bittkau, A. **205**, 201
Bols, N.C. **205**, 211
Bolt, H.M. **205**, 181
Bonetti, E. **205**, 65
Bopp, S. **205**, 211
Bridges, J.W. **205**, 11
Bridges, O. **205**, 11
Butler, B.J. **205**, 173

Caimi, L. **205**, 65
Campn, R. **205**, 131
Castillo, C. **205**, 131
Ceccatelli, R. **205**, 113
Christoffel, J. **205**, 87
Ciana, P. **205**, 65
Conscience, M. **205**, 113
Couse, J.F. **205**, 55

Dayeh, V.R. **205**, 211
Durrer, S. **205**, 113

Faass, O. **205**, 113
Fent, K. **205**, 223
Fisher, J.S. **205**, 33
Foth, H. **205**, 141

Ganzerla, S. **205**, 65
Gelbke, H.P. **205**, 17
Geyer, R. **205**, 201
Grossmann, J. **205**, 143
Grüters, A. **205**, 95
Gruetter, M. **205**, 113

Hack, A. **205**, 181
Hamann, I. **205**, 95
Hansjürgens, B. **205**, 241
Heidrich, S. **205**, 143
Henseler, M. **205**, 113
Herzog, I. **205**, 113
Hofmann, P.J. **205**, 95

Iscan, M. **205**, 195

Jacobs, M.N. **205**, 43
Jarry, H. **205**, 87, 95, 103, 113, 123

Kaschl, A. **205**, 143
Kayser, M. **205**, 17
Khrle, J. **205**, 95
King, I. **205**, 75
Klammer, H. **205**, 123
Klingmüller, D. **205**, 75
Koch, L. **205**, 87
Korach, K.S. **205**, 55
Kovacs, G. **205**, 95

Lichtensteiger, W. **205**, 113
Lo, S. **205**, 75
Lorenzo, D.D. **205**, 65

Maerkel, K. **205**, 113
Maggi, A. **205**, 65
Malina, G. **205**, 157
Mentrup, B. **205**, 95

Penza, M. **205**, 65
Pfeifer, F. **205**, 181
Poole, A. **205**, 17

Reolon, S. **205**, 113
Rimoldi, G. **205**, 87
Roos, P.H. **205**, 181
Russold, S. **205**, 211

Safe, S. **205**, 3
Salazar, V. **205**, 131
Schirmer, K. **205**, 211
Schirmer, M. **205**, 143, 173
Schlecht, C. **205**, 123
Schlosser, D. **205**, 201
Schlumpf, M. **205**, 113
Schmid, P. **205**, 113
Schmutzler, C. **205**, 95
Schomburg, L. **205**, 95
Seidlová-Wuttke, D. **205**, 95, 103
Steglich, F. **205**, 75
Stemmler, L. **205**, 95
Stutz, E. **205**, 113

Tresguerres, J.A.F. **205**, 131
Tschirbs, S. **205**, 181

van der Ven, L.T.M. **205**, 27
Villa, R. **205**, 65
Vos, J.G. **205**, 27

Weiss, H. **205**, 143
Welge, P. **205**, 181
Wester, P.W. **205**, 27
Wilhelm, M. **205**, 181
Wutke, W. **205**, 1
Wuttke, W. **205**, 87, 95, 103, 113, 123
Wycisk, P. **205**, 143

doi:10.1016/S0300-483X(04)00557-8

ELSEVIER

Toxicology 205 (2004) 255–259

TOXICOLOGY

www.elsevier.com/locate/toxicol

Subject index of volume 205

AhR; ERα, ERβ, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Endocrine disruptor, Gene expression, Rat **205**, 123

Anaerobic degradation; Monochlorobenzene, Hydroxylation, Fe, Fenton's reagent, Microbial community **205**, 201

Androgenic compounds; Antiandrogenic compounds, Sex hormone metabolizing enzymes, Endocrine disruptors **205**, 75

Animal model; Biomarker, Polycyclic aromatic hydrocarbons, CYP1A1, Contaminated soil, Risk potential **205**, 181

Anti-thyroid action; BP2, Multi-organic risk assessment, Estrogen agonist **205**, 87

Antiandrogenic compounds; Androgenic compounds, Sex hormone metabolizing enzymes, Endocrine disruptors **205**, 75

Antiandrogenic effect; di-*n*-butyl phthlate (DBP), Maternal exposure, Embryonic loss, Male reproductive tract malformation, Rat **205**, 131

Arsenic; Groundwater, Barium, Boron, Strontium, Spatial and temporal distribution, Environmental hazard **205**, 157

Barium; Groundwater, Arsenic, Boron, Strontium, Spatial and temporal distribution, Environmental hazard **205**, 157

Benzophenone-2; Estradiol, Bisphenol A, Dibutylphtalate, Uterus, Vagina, Bone **205**, 103

βBHC [β-Benzene-hexachloride].; Estrogen receptors, Estrogen reporter mice, Endocrine disruptors, In vivo imaging, *p*,*p*′DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl) ethane], *p*,*p*′DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)-ethylene] **205**, 65

3-Benzylidene camphor (3-BC); UV filters, 4-Methylbenzylidene camphor (4-MBC), Estrogenic, Development, Toxicity, Gene expression **205**, 113

Bioavailability; Ecotoxicology, Organotins, Cytochrome P450 induction, Contaminated sites, Environmental risk assessment, PAH **205**, 223

Biodegradation; Organic contaminants, Transport behaviour, Natural attenuation, Field investigations, Groundwater **205**, 173

Biomarker; Polycyclic aromatic hydrocarbons, CYP1A1, Animal model, Contaminated soil, Risk potential **205**, 181

Bisphenol A; Estradiol, Benzophenone-2, Dibutylphtalate, Uterus, Vagina, Bone **205**, 103

Bitterfeld; Chlorinated hydrocarbons, Contaminated groundwater, Megasite, Remediation technologies, Risk minimization **205**, 143

Bone; Estradiol, Benzophenone-2, Bisphenol A, Dibutylphtalate, Uterus, Vagina **205**, 103

Boron; Groundwater, Arsenic, Barium, Strontium, Spatial and temporal distribution, Environmental hazard **205**, 157

BP2; Multi-organic risk assessment, Estrogen agonist, Anti-thyroid action **205**, 87

Chlorinated hydrocarbons; Bitterfeld, Contaminated groundwater, Megasite, Remediation technologies, Risk minimization **205**, 143

Contaminants; Ecological risk assessment, Problem-hazard identification **205**, 195

Contaminated groundwater; Bitterfeld, Chlorinated hydrocarbons, Megasite, Remediation technologies, Risk minimization **205**, 143

doi:10.1016/S0300-483X(04)00558-X

Contaminated sites; Ecotoxicology, Bioavailability, Organotins, Cytochrome P450 induction, Environmental risk assessment, PAH **205**, 223

Contaminated soil; Biomarker, Polycyclic aromatic hydrocarbons, CYP1A1, Animal model, Risk potential **205**, 181

Cost-benefit analysis; Inter-generational fairness, Economic valuation, Irreversibility **205**, 241

CREDO; Integrated risk assessment, Endocrine **205**, 11

CYP1A1; Biomarker, Polycyclic aromatic hydrocarbons, Animal model, Contaminated soil, Risk potential **205**, 181

Cytochrome P450 induction; Ecotoxicology, Bioavailability, Organotins, Contaminated sites, Environmental risk assessment, PAH **205**, 223

***p,p′*DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene]**; Estrogen receptors, Estrogen reporter mice, Endocrine disruptors, In vivo imaging, *p,p′*DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl) ethane], βBHC [β-Benzene-hexachloride]. **205**, 65

***p,p′*DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl) ethane]**; Estrogen receptors, Estrogen reporter mice, Endocrine disruptors, In vivo imaging, *p,p′*DDE [1,1-dichloro-2,2-bis-(*p*-chlorophenyl)ethylene], βBHC [β-Benzene-hexachloride] **205**, 65

Deiodinase; Malic enzyme, Thyroid peroxidase, Genistein, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, 4-nonylphenol, Soy isoflavones, Endocrine disrupter, Estradiol **205**, 95

Development; UV filters, 4-Methylbenzylidene camphor (4-MBC), 3-Benzylidene camphor (3-BC), Estrogenic, Toxicity, Gene expression **205**, 113

di-*n*-butyl phthlate (DBP); Maternal exposure, Embryonic loss, Male reproductive tract malformation, Antiandrogenic effect, Rat **205**, 131

Dibutylphtalate; Estradiol, Benzophenone-2, Bisphenol A, Uterus, Vagina, Bone **205**, 103

Dioxin-like compounds; Ground water, Industrial effluent, In vitro bioassays, EROD induction, Industrial sites **205**, 211

Ecological risk assessment; Contaminants, Problem-hazard identification **205**, 195

Economic valuation; Cost-benefit analysis, Inter-generational fairness, Irreversibility **205**, 241

Ecotoxicology; Bioavailability, Organotins, Cytochrome P450 induction, Contaminated sites, Environmental risk assessment, PAH **205**, 223

Embryonic loss; di-*n*-butyl phthlate (DBP), Maternal exposure, Male reproductive tract malformation, Antiandrogenic effect, Rat **205**, 131

Endocrine disrupter; Deiodinase, Malic enzyme, Thyroid peroxidase, Genistein, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, 4-nonylphenol, Soy isoflavones, Estradiol **205**, 95

Endocrine disrupters; Mammals, Fish **205**, 27

Endocrine disruption; Phthalate, Sulfotransferase, Non-receptor mediated, Risk assessment **205**, 33

Endocrine disrupting chemicals; Nuclear receptors, Polybrominated biphenyl ethers, Quantitative structure–activity relationships, Homology modelling studies **205**, 43

Endocrine disruption; Uterus, Prostate, Homeobox **205**, 55

Endocrine disruptor; ERα, ERβ, AhR, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Gene expression, Rat **205**, 123

Endocrine disruptors; Androgenic compounds, Antiandrogenic compounds, Sex hormone metabolizing enzymes **205**, 75

Endocrine disruptors; Estrogen receptors, Estrogen reporter mice, In vivo imaging, *p,p′*DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl) ethane], *p,p′*DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene], βBHC [β-Benzene-hexachloride] **205**, 65

Endocrine disruptors; Sperm, Human health **205**, 3

Endocrine disruptors; Validation of OECD test methods, Uterotrophic assay, Hershberger assay, "Enhanced" subacute test (OECD TG 407) **205**, 17

Endocrine; Integrated risk assessment, CREDO **205**, 11

"Enhanced" subacute test (OECD TG 407); Endocrine disruptors, Validation of OECD test methods, Uterotrophic assay, Hershberger assay **205**, 17

Environmental hazard; Groundwater, Arsenic, Barium, Boron, Strontium, Spatial and temporal distribution **205**, 157

Environmental risk assessment; Ecotoxicology, Bioavailability, Organotins, Cytochrome P450 induction, Contaminated sites, PAH **205**, 223

ERα; ERβ, AhR, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Endocrine disruptor, Gene expression, Rat **205**, 123

ERβ; ERα, AhR, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Endocrine disruptor, Gene expression, Rat **205**, 123

EROD induction; Ground water, Industrial effluent, Dioxin-like compounds, In vitro bioassays, Industrial sites **205**, 211

ERR1; ERα, ERβ, AhR, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Endocrine disruptor, Gene expression, Rat **205**, 123

Estradiol; Benzophenone-2, Bisphenol A, Dibutylphtalate, Uterus, Vagina, Bone **205**, 103

Estradiol; Deiodinase, Malic enzyme, Thyroid peroxidase, Genistein, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, 4-nonylphenol, Soy isoflavones, Endocrine disrupter **205**, 95

Estradiol; ERα, ERβ, AhR, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Endocrine disruptor, Gene expression, Rat **205**, 123

Estrogen agonist; BP2, Multi-organic risk assessment, Anti-thyroid action **205**, 87

Estrogen receptors; Estrogen reporter mice, Endocrine disruptors, In vivo imaging, *p,p′*DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl) ethane], *p,p′*DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene], βBHC [β-Benzene-hexachloride] **205**, 65

Estrogen reporter mice; Estrogen receptors, Endocrine disruptors, In vivo imaging, *p,p′*DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl) ethane], *p,p′*DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene], βBHC [β-Benzene-hexachloride] **205**, 65

Estrogenic; UV filters, 4-Methylbenzylidene camphor (4-MBC), 3-Benzylidene camphor (3-BC), Development, Toxicity, Gene expression **205**, 113

Fe; Monochlorobenzene, Hydroxylation, Anaerobic degradation, Fenton's reagent, Microbial community **205**, 201

Fenton's reagent; Monochlorobenzene, Hydroxylation, Anaerobic degradation, Fe, Microbial community **205**, 201

Field investigations; Organic contaminants, Biodegradation, Transport behaviour, Natural attenuation, Groundwater **205**, 173

Fish; Mammals, Endocrine disrupters **205**, 27

Gene expression; ERα, ERβ, AhR, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Endocrine disruptor, Rat **205**, 123

Gene expression; UV filters, 4-Methylbenzylidene camphor (4-MBC), 3-Benzylidene camphor (3-BC), Estrogenic, Development, Toxicity **205**, 113

Genistein; Deiodinase, Malic enzyme, Thyroid peroxidase, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, 4-nonylphenol, Soy isoflavones, Endocrine disrupter, Estradiol **205**, 95

Ground water; Industrial effluent, Dioxin-like compounds, In vitro bioassays, EROD induction, Industrial sites **205**, 211

Groundwater; Arsenic, Barium, Boron, Strontium, Spatial and temporal distribution, Environmental hazard **205**, 157

Groundwater; Organic contaminants, Biodegradation, Transport behaviour, Natural attenuation, Field investigations **205**, 173

Hershberger assay; Endocrine disruptors, Validation of OECD test methods, Uterotrophic assay, "Enhanced" subacute test (OECD TG 407) **205**, 17

Homeobox; Uterus, Prostate, Endocrine disruption **205**, 55

Homology modelling studies; Endocrine disrupting chemicals, Nuclear receptors, Polybrominated biphenyl ethers, Quantitative structure–activity relationships **205**, 43

Human health; Endocrine disruptors, Sperm **205**, 3

2-Hydroxy 4-methoxybenzophenone; ERα, ERβ, AhR, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, Estradiol, Endocrine disruptor, Gene expression, Rat **205**, 123

Hydroxylation; Monochlorobenzene, Anaerobic degradation, Fe, Fenton's reagent, Microbial community **205**, 201

In vitro bioassays; Ground water, Industrial effluent, Dioxin-like compounds, EROD induction, Industrial sites **205**, 211

In vivo imaging; Estrogen receptors, Estrogen reporter mice, Endocrine disruptors, *p,p′*DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl) ethane], *p,p′*DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene], βBHC [β-Benzene-hexachloride]. **205**, 65

Industrial effluent; Ground water, Dioxin-like compounds, In vitro bioassays, EROD induction, Industrial sites **205**, 211

Industrial sites; Ground water, Industrial effluent, Dioxin-like compounds, In vitro bioassays, EROD induction **205**, 211

Integrated risk assessment; Endocrine, CREDO **205**, 11

Inter-generational fairness; Cost-benefit analysis, Economic valuation, Irreversibility **205**, 241

Irreversibility; Cost-benefit analysis, Inter-generational fairness, Economic valuation **205**, 241

Male reproductive tract malformation; di-*n*-butyl phthlate (DBP), Maternal exposure, Embryonic loss, Antiandrogenic effect, Rat **205**, 131

Malic enzyme; Deiodinase, Thyroid peroxidase, Genistein, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, 4-nonylphenol, Soy isoflavones, Endocrine disrupter, Estradiol **205**, 95

Mammals; Fish, Endocrine disrupters **205**, 27

Maternal exposure; di-*n*-butyl phthlate (DBP), Embryonic loss, Male reproductive tract malformation, Antiandrogenic effect, Rat **205**, 131

Megasite; Bitterfeld, Chlorinated hydrocarbons, Contaminated groundwater, Remediation technologies, Risk minimization **205**, 143

4-methylbenzylidene-camphor; Deiodinase, Malic enzyme, Thyroid peroxidase, Genistein, Octyl-methoxycinnamate, 4-nonylphenol, Soy isoflavones, Endocrine disrupter, Estradiol **205**, 95

4-Methylbenzylidene camphor (4-MBC); UV filters, 3-Benzylidene camphor (3-BC), Estrogenic, Development, Toxicity, Gene expression **205**, 113

Microbial community; Monochlorobenzene, Hydroxylation, Anaerobic degradation, Fe, Fenton's reagent **205**, 201

Monochlorobenzene; Hydroxylation, Anaerobic degradation, Fe, Fenton's reagent, Microbial community **205**, 201

Multi-organic risk assessment; BP2, Estrogen agonist, Anti-thyroid action **205**, 87

Natural attenuation; Organic contaminants, Biodegradation, Transport behaviour, Field investigations, Groundwater **205**, 173

Non-receptor mediated; Endocrine disruption, Phthalate, Sulfotransferase, Risk assessment **205**, 33

4-nonylphenol; Deiodinase, Malic enzyme, Thyroid peroxidase, Genistein, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, Soy isoflavones, Endocrine disrupter, Estradiol **205**, 95

Nuclear receptors; Endocrine disrupting chemicals, Polybrominated biphenyl ethers, Quantitative structure–activity relationships, Homology modelling studies **205**, 43

Octyl-methoxycinnamate; Deiodinase, Malic enzyme, Thyroid peroxidase, Genistein, 4-methylbenzylidene-camphor, 4-nonylphenol, Soy isoflavones, Endocrine disrupter, Estradiol **205**, 95

Organic contaminants; Biodegradation, Transport behaviour, Natural attenuation, Field investigations, Groundwater **205**, 173

Organotins; Ecotoxicology, Bioavailability, Cytochrome P450 induction, Contaminated sites, Environmental risk assessment, PAH **205**, 223

PAH; Ecotoxicology, Bioavailability, Organotins, Cytochrome P450 induction, Contaminated sites, Environmental risk assessment **205**, 223

Phthalate; Endocrine disruption, Sulfotransferase, Non-receptor mediated, Risk assessment **205**, 33

Polybrominated biphenyl ethers; Endocrine disrupting chemicals, Nuclear receptors, Quantitative structure–activity relationships, Homology modelling studies **205**, 43

Polycyclic aromatic hydrocarbons; Biomarker, CYP1A1, Animal model, Contaminated soil, Risk potential **205**, 181

Problem-hazard identification; Ecological risk assessment, Contaminants **205**, 195

Prostate; Uterus, Homeobox, Endocrine disruption **205**, 55

Quantitative structure–activity relationships; Endocrine disrupting chemicals, Nuclear receptors, Polybrominated biphenyl ethers, Homology modelling studies **205**, 43

Rat; di-*n*-butyl phthlate (DBP), Maternal exposure, Embryonic loss, Male reproductive tract malformation, Antiandrogenic effect **205**, 131

Rat; ERα, ERβ, AhR, ERR1, 2,2′,4,4′-Tetrahydroxybenzophenone, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Endocrine disruptor, Gene expression **205**, 123

Remediation technologies; Bitterfeld, Chlorinated hydrocarbons, Contaminated groundwater, Megasite, Risk minimization **205**, 143

Risk assessment; Endocrine disruption, Phthalate, Sulfotransferase, Non-receptor mediated **205**, 33

Risk minimization; Bitterfeld, Chlorinated hydrocarbons, Contaminated groundwater, Megasite, Remediation technologies **205**, 143

Risk potential; Biomarker, Polycyclic aromatic hydrocarbons, CYP1A1, Animal model, Contaminated soil **205**, 181

Sex hormone metabolizing enzymes; Androgenic compounds, Antiandrogenic compounds, Endocrine disruptors **205**, 75

Soy isoflavones; Deiodinase, Malic enzyme, Thyroid peroxidase, Genistein, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, 4-nonylphenol, Endocrine disrupter, Estradiol **205**, 95

Spatial and temporal distribution; Groundwater, Arsenic, Barium, Boron, Strontium, Environmental hazard **205**, 157

Sperm; Endocrine disruptors, Human health **205**, 3

Strontium; Groundwater, Arsenic, Barium, Boron, Spatial and temporal distribution, Environmental hazard **205**, 157

Sulfotransferase; Endocrine disruption, Phthalate, Non-receptor mediated, Risk assessment **205**, 33

2,2′,4,4′-Tetrahydroxybenzophenone; ERα, ERβ, AhR, ERR1, 2-Hydroxy 4-methoxybenzophenone, Estradiol, Endocrine disruptor, Gene expression, Rat **205**, 123

Thyroid peroxidase; Deiodinase, Malic enzyme, Genistein, Octyl-methoxycinnamate, 4-methylbenzylidene-camphor, 4-nonylphenol, Soy isoflavones, Endocrine disrupter, Estradiol **205**, 95

Toxicity; UV filters, 4-Methylbenzylidene camphor (4-MBC), 3-Benzylidene camphor (3-BC), Estrogenic, Development, Gene expression **205**, 113

Transport behaviour; Organic contaminants, Biodegradation, Natural attenuation, Field investigations, Groundwater **205**, 173

Uterotrophic assay; Endocrine disruptors, Validation of OECD test methods, Hershberger assay, "Enhanced" subacute test (OECD TG 407) **205**, 17

Uterus; Estradiol, Benzophenone-2, Bisphenol A, Dibutylphtalate, Vagina, Bone **205**, 103

Uterus; Prostate, Homeobox, Endocrine disruption **205**, 55

UV filters; 4-Methylbenzylidene camphor (4-MBC), 3- Benzylidene camphor (3-BC), Estrogenic, Development, Toxicity, Gene expression **205**, 113

Vagina; Estradiol, Benzophenone-2, Bisphenol A, Dibutylphtalate, Uterus, Bone **205**, 103

Validation of OECD test methods; Endocrine disruptors, Uterotrophic assay, Hershberger assay, "Enhanced" subacute test (OECD TG 407) **205**, 17